

# Atf 3000 PRO

## manual

3000



IT

- **A:** Casseta A: Contiene i raccordi di vetture EU e Asiatiche <2001
- **B:** Casseta B: Contiene adattatori e raccordi di vetture dal 2002 al 2012
- **C:** Dipstick: Dispositivo per operare su cambi sigillati senza scambiatore o in caso di difficoltà di accesso ai punti di intersezione
- **D:** InfoPack: Password di accesso gratuito (per 12 mesi) al sito Datamotiv per consultazione banca dati, informazioni tecniche riservate (foto, ubicazione raccordi, etc) e DVD con dimostrazione pratica su vettura
- **E:** Contaltri magnetici: Utili per il controllo visivo dei livelli (olio usato, olio nuovo)
- **F:** Versione 220V con interruttore generale e protezione da cortocircuito e sovraccarichi
- **G:** Illuminazione taniche interne: Essenziale per il controllo visivo dei diversi tipi di oli ATF in tanica
- **H:** Iniettore additivo di 500ml con protezione contro manovre errate
- **I:** Nuove ruote con maggior piano di appoggio per agevolata movimentazione

EN

- **A:** Case A: It contains the fittings of EU and Asian cars dated <2001
- **B:** Case B: it contains adapters and fittings for cars from 2002 to 2012
- **C:** Dipstick: Device for operating on sealed gearboxes without heat exchanger or in case of difficult access to points of intersection
- **D:** InfoPack: Password for free access (for 12 months) to the website Datamotiv to consult database, reserved technical information (pictures, fitting location, etc) and DVD with a practical demonstration performed on the car
- **E:** Magnetic liters' counters: Useful for visual control of the levels (used oil, new oil)
- **F:** 220V version with power switch and protection against short circuits and overloads
- **G:** Lighting of the internal tanks: Essential for the visual control of the different types of ATF oils in the tank
- **H:** 500ml additive injector with protection against mishandling
- **I:** New wheels with larger supporting surface for easier movements

ATF 3000 PRO


COD. 02.022.70




ATF 3000 PRO

C l e a n e r &amp; O i l E x c h a n g e r


A



B



C



D

Engine code:  Search Reset vehicle

Search for fuel supply:

Brand  Model

## InfoPACK DATABASE

Brand	Model
ABARTH	Serie 1 (E81)
ALFA ROMEO	Serie 1 (E81)
AUDI	Serie 1 (E88) Cabrio
BMW	Serie 1 (E81)
CHEVROLET (DAEWOO)	Serie 1 (E81)
CHRYSLER	Serie 3 (E46)
CITROEN	Serie 3 (E90-E91)
DACIA	Serie 3 (E92) Coupé


Vehicle

Id	Vehicle	Engine code	Year	Doors	Fuel supply	Displacement	Kw
28153	116d Ber 3p/d/1995cc	N47D20C	06/01/2011-	3	D	1995	85
26051	116d Ber 5p/d/1995cc	N47D20C	09/01/2011-	5	D	1995	85
30871	118 d xDrive Ber 3p/d/1995cc	N47D20C	07/01/2013-	3	D	1995	105
28155	118d Ber 3p/d/1995cc	N47D20C	06/01/2011-	3	D	1995	105

E



G



F



H



I

					 <b>NEW!</b>
<b>CARATTERISTICHE TECNICHE</b>	<b>S-DRIVE 4500</b> cod. 02.023.40	<b>S-DRIVE 5000</b> cod. 02.023.50	<b>ATF 4000 BASIC</b> cod. 02.023.10	<b>ATF 4000 PROFI</b> cod. 02.023.11	<b>ATF START</b> cod. 02.023.42
Display a colori touch screen 5"	√	√	-	-	-
Display grafico 240x64 monocromatico	-	-	√	√	√
Software a icone di immediata comprensione	√	√	√	√	√
Software multilingue	√	√	√	√	√
Pompa	1	2	2	2	1
Misura olio: 2 bilance elettroniche	√	√	√	√	√
Misura pressione olio uscita cambio	√	√	√	√	√
Misura pressione olio uscita ATF	-	√	√	√	-
Funzione AWS: Correzione automatica peso specifico olio nuovo	√	√	manual	manual	manual
Funzione warm-up automatico (avvio del ciclo automatico al raggiungimento della temperatura minima ottimale)	√	√	-	-	-
Lavaggio circuito di aspirazione olio nuovo	√	√	-	-	-
Misura temperatura olio usato	√	√	√	√	√
Kit dipstick	-	√	√	√	-
Iniezione additivo automatica	√	√	√	√	manuale guidata/ manual guided
Possibilità di operare in modo automatico o manuale	√	√	√	√	semiautomatico
Aggiornamento software e database via USB	√	√	-	-	-
Flussimetri (old/new)	√ illuminati/ backlight	√ illuminati/ backlight	√ illuminati/ backlight	√ illuminati/ backlight	tubi trasparenti, 3 mt/ transparent hoses, 3 mt
Taniche olio nuovo/usato	2 x 20lt	2 x 30lt	2 x 30lt	2 x 30lt	2 x 20lt
Nuovo filtro sinterizzato riutilizzabile con magnete	√	√	√	√	√
2 cassette raccordi e tubi vetture europee e asiatiche	√	√	√	√	√
Stampante	Optional	√	Optional	√	Optional
Kit InfoPack (abbonamento per 12 mesi)	√	√	√	√	√
Software cambio olio servosterzi con adattatori a richiesta	√	√	√	√	-
Banca dati integrata con marca, versione, numero rapporti, tipo di cambio, quantità olio; il raccordo da usare e il tipo/marca di olio è inseribile da parte dell'utente	√	√	-	-	-
Invertitore tubi direzione olio (esterno)	Optional	Optional	Optional	Optional	Integrato Integrated



**ATF REMIN**  
cod. 02.023.55

**ATF 3000 PRO**  
cod. 02.022.70

**TECHNICAL FEATURES**

-	-	Color touch display 5"
-	-	Monochromatic graphic display 240x64
-	-	Software with icons easy to use
-	-	Multilingual software
1	1	Pump
visiva / visual	visiva / visual	Oil Measurement: 2 electronic scales
✓	✓	Gearbox's outlet oil pressure measurement
-	✓	ATF's outlet oil pressure measurement
-	-	AWS function: Automatic new oil specific weight correction
-	-	Automatic Warm-Up function (starting of the automatic cycle upon reaching the min. optimal temperature)
-	-	Washing of the new oil suction circuit
-	-	Measurement of the waste oil temperature
optional	✓	Dipstick kit
manuale guidata/ manual guided	manuale guidata/ manual guided	Automatic additive injection
manual	manual	Possibility to operate in automatic or manual mode
-	-	Software and database updatable via USB
✓	✓	Flowmeters (old/new)
2x20lt	2 x 25lt con illuminazione/ with led bar	New and waste oil tanks
✓	filtra olio classico/ classic oil filter	New sintered reusable filter with magnet
✓	✓	2 cases of couplings and hoses for European and Asiatic vehicles
-	-	Printer
✓	✓	InfoPack kit (subscription for 12 months)
-	-	Software for power steering oil change with optional adapters
-	-	Integrated database with brand, version, number of ratios, gearbox type, oil quantity, oil code; the connection to be used and the oil type/brand can be inserted manually by the operator
Standard	Optional	Oil flow hose inversion device (external)


# ATF

**Accessori INCLUSI  
STANDARD accessories**


**InfoPACK  
DATABASE**

**FREE ACCESS  
TO MORE THAN  
4000 MODELS**

**ACCESSO  
ALLA BANCA DATI  
CAMBI AUTOMATICI  
CON PIU' DI 4000 MODELLI**



**S-DRIVE 4500  
S-DRIVE 5000  
ATF 4000 PROFI  
ATF START  
ATF REMIN**



**ATF 3000 PRO**

